

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	("6912588").PN.	US-PGPUB; USPAT	OR	OFF	2010/09/29 07:32
L5	1449	sliding adj window same (max maximum)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:33
L6	2	L5 and replay with attack \$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:33
L7	18	sliding adj window and (max maximum) and replay with attack\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:33
L8	9	sliding adj window same (max maximum) with (reset\$4 re-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:33
L9	109	sliding adj window with (reset\$4 re-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:33
L10	32	L9 and @ad< "20010821"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:33
L11	34	(sliding replay) adj window same (max maximum) same (reset\$4 re-set\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:34
L12	2	(LAGIMONIER near TODD) (VORIS near JIM)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:35

L13	2316	726/22.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L14	0	L13 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L15	1316	713/170.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L16	1	L15 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L17	9974	window near2 (size length width) with (adjust\$4 chang\$4 modify\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L18	95	L17 same (((sequence packet) adj number) nonce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L19	0	L18 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L20	777	window near2 (size length width) with (((sequence packet) adj number) nonce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L21	0	L20 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L22	6	window near2 (size length width) same replay near attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36

L23	0	L22 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L24	632	replay near attack same session	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L25	0	L24 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L26	11114	(variable dynamic\$4 vary \$4) near2 window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L27	8	L26 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L28	1625	window near2 (size length width) same (((sequence packet) adj number) nonce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L29	1	L28 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L30	1625	window near2 (size length width) same (((sequence packet) adj number) nonce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L31	1	L30 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L32	110	adjust\$5 with window same (((sequence packet) adj number) nonce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36

L33	0	L32 and @ad<"20010821" and @pd>"20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L34	38	anti adj replay adj window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L35	0	L34 and @ad<"20010821" and @pd>"20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L36	144	(window near (size length width)) same (reorder\$4 (re adj order\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L37	0	L36 and @ad<"20010821" and @pd>"20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:36
L38	1754	window near2 (size length width) same counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L39	87	L38 and attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L40	0	L39 and @ad<"20010821" and @pd>"20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L41	3013	replay adj attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L42	124	L41 and window near2 (size length width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37

L43	0	L42 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L44	90	range with (((sequence packet) adj number) nonce) and replay adj attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L45	0	L44 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L46	47	range with counter and replay adj attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L47	0	L46 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L48	136	range same (((sequence packet) adj number) nonce) and replay adj attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L49	0	L48 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L50	61	drop\$4 with packet with (above outside) with (window range)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L51	0	L50 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L52	14152	window near2 (size length width) with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37

L53	155	L52 same (((sequence packet) adj number) nonce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L54	0	L53 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:37
L55	256	order with message same window with (size length width)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L56	0	L55 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L57	19	dynamic\$4 with window and replay adj attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L58	0	L57 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L59	942	dynamic\$4 with window near (size width length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L60	45	L59 and replay\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L61	0	L60 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L62	3809	increas\$4 with window near (size width length)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38

L63	3	L62 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L64	510	window near2 (size length width) with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4) same sliding adj window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L65	0	L64 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L66	2	window near2 (size length width) with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4) same replay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L67	0	L66 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L68	110	window with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4) same replay	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L69	0	L68 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L70	288	replay near attack same session and window	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L71	0	L70 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L72	950164	range with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38

L73	279	L72 same (((sequence packet) adj number) nonce)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L74	0	L73 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L75	123	range with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4) with accept \$6 with (packet frame)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L76	0	L75 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:38
L77	2277	range with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4) with accept \$6 with (value nonce (sequence packet) adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:39
L78	1	L77 and replay near attack	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:39
L79	0	L78 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:39
L80	2	range with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4) with accept \$6 with (nonce (sequence packet) adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:39
L81	0	L80 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:39
L82	142	range with (adjust\$4 chang\$4 modify\$4 increas \$4 decreas\$4) with (nonce (sequence packet) adj number)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:39



L83	0	L82 and @ad< "20010821" and @pd> "20100511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/09/29 07:39
-----	---	--	---	----	----	---------------------

**EAST Search History (1 Interference)**

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L84	0	(largest adj nonce with reset\$4).clm.	USPAT; UPAD	OR	ON	2010/09/29 07:42
L85	0	(largest adj nonce with re-set\$4).clm.	USPAT; UPAD	OR	ON	2010/09/29 07:42
L86	0	(exceed\$4 with nonce with (reset\$4 re-set\$4)). clm.	USPAT; UPAD	OR	ON	2010/09/29 07:43
L87	0	(adjust\$4 with size with range with nonce).clm.	USPAT; UPAD	OR	ON	2010/09/29 07:43
L88	0	(maximum with nonce). clm.	USPAT; UPAD	OR	ON	2010/09/29 07:44

**9/ 29/ 10 7:44:24 AM****C:\ Documents and Settings\mpyzocha1\ My Documents\ EAST\ Workspaces\ 09932982-8.wsp**